



INTEGRATED LOCKING SYSTEM OF POWER CORDS AND RACK IPDU OUTLETS

Prevent accidental power cord disconnects with SecureLock - an integrated locking system of power cords and rack PDU outlets which secures power cords to Raritan rack PDUs. Raritan's PX intelligent rack power distribution units (iPDUs) are equipped with SecureLock outlets that work with standard power cords and lock when using these cords to prevent cables from coming unplugged.

PREVENT ACCIDENTAL POWER CORD DISCONNECTS

Raritan rack iPDUs and HDOT Cx PDUs from Server Technology are equipped with SecureLock outlets that mate with any standard power cord, while positively and tightly locking to genuine SecureLock cables. Stay away from locking cables with low rated temperatures, ship kinked or are not CE certified.

COLOR CODE YOUR POWER CHAINS

Other than visualizing A and B feeds using two different colors as best-practice datacenter design, SecureLock cables help distinguish between the different types of equipment connected to PDUs, visualization of pre-set power paths of different customer configurations (i.e. in co-location facilities), different plug types or single and 3-phase connections. Another important application is color coding of multiple UPS power paths, which can be found in data centers where extra levels of redundancy is required.

ENSURE UPTIME OF HIGH AMPERAGE EQUIPMENT WITH C14/C15 SECURELOCK POWER CORDS

Also available are power cables with C14 plug to C15 connectors. These C14 to C15 cords with flexible rubber sheeted jacket have been designed as a solution in data centers with high amperage, high-heat data center equipment.

C15 connectors can be most commonly found on heavy duty Cisco[®] Catalyst or MDS 9000 Series PoE switches, but also on IT equipment from Dell[®] and HP[®].

FEATURES AND BENEFITS

- Prevent downtime
- Easily identify power feeds
- Faster trouble shooting
- Cable types
 - IEC C-14 (m) to IEC C-13 (f)
 - IEC C-14 (m) to IEC C-15 (f)
 - IEC C-20 (m) to IEC C-19 (f)
- Available in red, blue, black, white and green
- Cable lengths
 - 0.5 meter
 - 1.0 meter
 - 1.5 meter
 - 2.0 meter
 - 2.5 meter
 - 3.0 meter
- Ships coiled in packs of 6
- 70°C (158°F) max temp
- CE certified



AVAILABLE SECURELOCK POWER CABLES

				
IEC C13/C14 SecureLock Cables		Pack of 6 SecureLock locking cables, 0.5 Meter up to 3.0 Meter, 16AWG, 1 x IEC C-14, 1 x IEC C-13		
Black Cables	Red Cables	Blue Cables	Green Cables	White Cables
SLC14C13-0.5M-6PK	SLC14C13-0.5MK1-6PK	SLC14C13-0.5MK2-6PK	SLC14C13-0.5MK3-6PK	SLC14C13-0.5MK7-6PK
SLC14C13-1.0M-6PK	SLC14C13-1.0MK1-6PK	SLC14C13-1.0MK2-6PK	SLC14C13-1.0MK3-6PK	SLC14C13-1.0MK7-6PK
SLC14C13-1.5M-6PK	SLC14C13-1.5MK1-6PK	SLC14C13-1.5MK2-6PK	SLC14C13-1.5MK3-6PK	SLC14C13-1.5MK7-6PK
SLC14C13-2.0M-6PK	SLC14C13-2.0MK1-6PK	SLC14C13-2.0MK2-6PK	SLC14C13-2.0MK3-6PK	SLC14C13-2.0MK7-6PK
SLC14C13-2.5M-6PK	SLC14C13-2.5MK1-6PK	SLC14C13-2.5MK2-6PK	SLC14C13-2.5MK3-6PK	SLC14C13-2.5MK7-6PK
SLC14C13-3.0M-6PK	SLC14C13-3.0MK1-6PK	SLC14C13-3.0MK2-6PK	SLC14C13-3.0MK3-6PK	SLC14C13-3.0MK7-6PK
IEC C19/C20 SecureLock Cables		Pack of 6 SecureLock locking cables, 0.5 Meter up to 3.0 Meter, 16AWG, 1 x IEC C-19, 1 x IEC C-20		
Black Cables	Red Cables	Blue Cables	Green Cables	White Cables
SLC20C19-0.5M-6PK	SLC20C19-0.5MK1-6PK	SLC20C19-0.5MK2-6PK	SLC20C19-0.5MK3-6PK	SLC20C19-0.5MK7-6PK
SLC20C19-1.0M-6PK	SLC20C19-1.0MK1-6PK	SLC20C19-1.0MK2-6PK	SLC20C19-1.0MK3-6PK	SLC20C19-1.0MK7-6PK
SLC20C19-1.5M-6PK	SLC20C19-1.5MK1-6PK	SLC20C19-1.5MK2-6PK	SLC20C19-1.5MK3-6PK	SLC20C19-1.5MK7-6PK
SLC20C19-2.0M-6PK	SLC20C19-2.0MK1-6PK	SLC20C19-2.0MK2-6PK	SLC20C19-2.0MK3-6PK	SLC20C19-2.0MK7-6PK
SLC20C19-2.5M-6PK	SLC20C19-2.5MK1-6PK	SLC20C19-2.5MK2-6PK	SLC20C19-2.5MK3-6PK	SLC20C19-2.5MK7-6PK
SLC20C19-3.0M-6PK	SLC20C19-3.0MK1-6PK	SLC20C19-3.0MK2-6PK	SLC20C19-3.0MK3-6PK	SLC20C19-3.0MK7-6PK
IEC C14/C15 SecureLock Cables		Pack of 6 SecureLock locking cables, 0.5 Meter up to 3.0 Meter, 16AWG, 1 x IEC C-14, 1 x IEC C-15		
Black Cables	Red Cables	Blue Cables	Green Cables	White Cables
SLC14C15-0.5M-6PK	SLC14C15-0.5MK1-6PK	SLC14C15-0.5MK2-6PK	SLC14C15-0.5MK3-6PK	SLC14C15-0.5MK7-6PK
SLC14C15-1.0M-6PK	SLC14C15-1.0MK1-6PK	SLC14C15-1.0MK2-6PK	SLC14C15-1.0MK3-6PK	SLC14C15-1.0MK7-6PK
SLC14C15-1.5M-6PK	SLC14C15-1.5MK1-6PK	SLC14C15-1.5MK2-6PK	SLC14C15-1.5MK3-6PK	SLC14C15-1.5MK7-6PK
SLC14C15-2.0M-6PK	SLC14C15-2.0MK1-6PK	SLC14C15-2.0MK2-6PK	SLC14C15-2.0MK3-6PK	SLC14C15-2.0MK7-6PK
SLC14C15-2.5M-6PK	SLC14C15-2.5MK1-6PK	SLC14C15-2.5MK2-6PK	SLC14C15-2.5MK3-6PK	SLC14C15-2.5MK7-6PK
SLC14C15-3.0M-6PK	SLC14C15-3.0MK1-6PK	SLC14C15-3.0MK2-6PK	SLC14C15-3.0MK3-6PK	SLC14C15-3.0MK7-6PK



ENDORSER OF THE EU CODE OF CONDUCT ON DATA CENTRE ENERGY EFFICIENCY

Formulated by the EU's Joint Research Centre, the Code is a measured response to the energy challenges the EU faces. It's aim is to encourage companies with data centers to reduce energy consumption while ensuring business objectives continue to be met.

As an endorser, Raritan have pledged to implement the Code's ethos through devising products and services that help organizations to bring their data centers into line with its best practice recommendations.

Visit www.raritan.eu or call +31 (0)10 284 4040 to learn more about SecureLock Cables.

